Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

Department of Health Services

WASTE MANIFEST	1. Generator's US EP		Manifest locument No.		Page 1 of 3			ne shaded areas by Federal law.	
3. Generator's Name and Mailing Address						A. State Manifest Document Number			
Douglas Aircraft Company				89479262					
19503 S. Normandie Av	enue. Torran	ce, CA 90502		B. Sta	te Genera	itor's ID			
Generator's Phone (213 783-5928 Attn: R. Tuell M/S C6-10				H A H 0 3 6 0 0 5 6 9 8					
그 그는 하는 역 가는 그들이 그들은 휴가를 맞았다면 얼마면 하는 곳을 다시고 하는데	그리고 하는 그렇게 그는 이 14차 15분의 점점 20분에 되었다면 되었다면 하는 사람들은 하는 사람들은 사람들은 사람들이 되었다면 하는 것이 살아 없다면 하는 것이 없었다.			C. State Transporter's ID /04804					
	Pacific Environmental Mgmt. C A D 9 8 2 0 5 3 7				D. Transporter's Phone 213-344-2445				
7. Fransporter 2 Company Name	Transporter 2 Company Name 8. US EPA ID Number				te Transp nsporter's	OXXXXXXXXXX			
Designated Facility Name and Site Addres	ss 10.	US EPA ID Numbe)		ite Facility				
						1 1	1 1 1	1111	
Chem-Tech Systems, Inc. 1660 E. 26th St.				H. Facility's Phone					
Vernon, CA 90023	ıc	A T 0 8 0 0 3	3161811	21	3-268	-3387			
			12. Cont	ainers	13. T	otal iantity	14. Unit	I. Waste No.	
11. US DOT Description (Including Proper Sh	npping Name, nazaro c	Jiass, and iD Number)	No.	Туре	G.	iaminy	Wt/Vol		
^{a.} RQ, Waste, Corrosive I	limuid N.A	•						State 792	
Corresive material III		 (10) (17)	nni	TT			G	EPA/Other	
Corrosive material, UN1760 (D002,D007)			0,0,1		QM	<u> </u>	Salt	0002, 0007 State	
					7			Ciale	
					1 .			EPA/Other	
						1-1-	+	State	
								EDA/Other	
			111	1	1.1	1.1		EPA/Other	
								State	
								EPA/Other	
						11			
J. Additional Descriptions for Materials Lister				K. Ha	ndling Co	des for W	/astes L b.	isted Above	
a) Mixed acids from Tank 41T									
		TARREST NAME OF THE PARTY OF TH	er en						
Nitric acid 0-10%	Fluo	ride salts 0-1	Annual Comment	c.			d.		
Nitric acid 0-10% Chromic acid 0-6%	Fluo wate	ride salts 0-1: r remainder		C.			d.		
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (Fluo wate 0-1%			C.			d.		
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Additio	Fluo Wate 0-1% nal Information	r remainder						provinato	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Additio Wear gloves, goggles, DOT Emergency response	Fluo wate 0-1% nal Information faceshield, guide # 60	r remainder and proper che In case of ac	omical s	uit. cont	act Cl	nemtr	s api	L R00-424-93	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Additio Wear gloves, goggles, DOT Emergency response	Fluo wate 0-1% nal Information faceshield, guide # 60	r remainder and proper che In case of ac	omical s	uit. cont	act Cl	nemtr	s api	L R00-424-93	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Additio Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator.	Fluo wate 0-1% nal Information faceshield, guide # 60 do not was	r remainder and proper che . In case of ach h into sewer or	emical s ccident of waterw	uit. conta	sct Cl <u>(f un</u>	iemtr whle	s api ec an	t 800-424-93 <u>eliver, retu</u>	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors,	Fluo wate 0-1% nal Information faceshield, guide # 60, do not was	r remainder and proper che . In case of ach into sewer or ontents of this consignment	emical s ccident of waterw	uit. conta	act Cl <u>If um</u> describe	lemer <u>shle</u> d above i	S appec as to de	t 800-424-93 211 <i>ver_ retu</i> orshipping name	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 15. Special Handling Instructions and Additio Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator, GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations.	Fluo wate 0-1% nal Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition	emical s ccident waterw are fully and ac n for transport!	uit. conta	describe	Tentr hble d above I ding to ap	S apper a formation of the second sec	t 800-424-93 aliver, reture or shipping name international and	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator. GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that	Fluo wate 0-1% nal Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all by that I have a program I have selected the pra	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition in place to reduce the volu- acticable method of treatme	emical s ccident waterw are fully and ac n for transport l ume and toxicit nt, storage, or	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	t 800-424-93 alliver, return or shipping name international and thave determined which minimizes the	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator. GENERATOR'S CERTIFICATION: I her and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif	Fluo wate 0-1% mal Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment;	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the volu- acticable method of treatme ; OR, if I am a small quantity	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	t 800-424-930 alliver, return or shipping name international and thave determined which minimizes the	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 6 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste ma	Fluo wate 0-1% mal Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment;	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the volu- acticable method of treatme ; OR, if I am a small quantity	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	t 800-424-93 alliver, return or shipping name international and I have determined which minimizes the himize my waste	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 6 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste ma	Fluo wate 0-1% mal Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment;	and proper chicago and proper chicago and proper chicago and into sewer or contents of this consignment respects in proper condition in place to reduce the voluncticable method of treatme; OR, if I am a small quantity tis available to me and that	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	t 800-424-93 alliver, return or shipping name international and I have determined which minimizes the himize my waste	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0-6% Hydrofluoric acid 0. 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors. 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste material process.	Fluor water 10-1% and Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all the selected the practice of the program of the environment; an agement method that	and proper chicago and proper chicago and proper chicago and into sewer or contents of this consignment respects in proper condition in place to reduce the voluncticable method of treatme; OR, if I am a small quantity tis available to me and that	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	t 800-424-930 alliver, return or shipping name international and I have determined which minimizes the imize my waste	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste may Printed/Typed Name Robert G. Tage 17. Transporter 1 Acknowledgement of Rece	Fluor water 10-1% and Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all the selected the practice of the program of the environment; an agement method that	and proper chicago and proper chicago and proper chicago and into sewer or contents of this consignment respects in proper condition in place to reduce the voluncticable method of treatme; OR, if I am a small quantity tis available to me and that	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	er shipping name international and which minimizes the imize my waste	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste may Printed/Typed Name Robert G. Tage 17. Transporter 1 Acknowledgement of Rece	Fluor water 10-1% and Information faceshield, guide # 60, do not was eby declare that the collabeled, and are in all the selected the practice of the program of the environment; an agement method that	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the volu- acticable method of treatme ; OR, if I am a small quantity it is available to me and that	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	er shipping name international and which minimizes the imize my waste	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste ma Printed/Typed Name Robert Grinted/Typed Name 17. Transporter 1 Acknowledgement of Rece Printed/Typed Name 18. Transporter 2 Acknowledgement of Rece	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper chies. In case of ach into sewer or contents of this consignment respects in proper condition in in place to reduce the volid acticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year 1 0 1 0 9 0	
Chromic acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 5. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 6. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste material for the company of the company o	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper che In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the volu- acticable method of treatme ; OR, if I am a small quantity it is available to me and that	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors 16. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste ma Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Rece Printed/Typed Name 18. Transporter 2 Acknowledgement of Rece	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper chies. In case of ach into sewer or contents of this consignment respects in proper condition in in place to reduce the volid acticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and have determined which minimizes the nimize my waste Month Day Year	
Chronic acid 0-10% Chronic acid 0-6% Hydrofluoric acid 0 Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste may Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Rece Printed/Typed Name 18. Transporter 2 Acknowledgement of Rece Printed/Typed Name	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper chies. In case of ach into sewer or contents of this consignment respects in proper condition in in place to reduce the volid acticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year	
Nitric acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, 16. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste ma Printed/Typed Name	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper chies. In case of ach into sewer or contents of this consignment respects in proper condition in in place to reduce the volid acticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year	
Chronic acid 0-10% Chronic acid 0-6% Hydrofluoric acid 0 Hydrofluoric acid 0 15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors 16. To generator. GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste may Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Rece Printed/Typed Name 18. Transporter 2 Acknowledgement of Rece Printed/Typed Name	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment; anagement method that	and proper chies. In case of ach into sewer or contents of this consignment respects in proper condition in in place to reduce the volid acticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature	emical s ccident and action of transport to the strange, or th	contained and the contained an	ICT () If unit describe ray accord te general currently	nemtr thle d above I ding to ap ted to the available	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year 1 0 1 0 9 0	
Chromic acid 0-10% Chromic acid 0-6% Hydrofluoric acid (15. Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors, Do not breat	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment, anagement method that property of Materials	and proper che. In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the voliacticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature S	are fully and ach for transport I	courately by highway of was disposal ave mad	describe des	d above I ding to ap ted to the available faith effor	s appec at to de by proper able e degree e to me w	or shipping name international and thave determined which minimizes the nimize my waste Month Day Year 1 0 1 0 9 0	
Chromic acid 0-10% Chromic acid 0-6% Hydrofluoric acid 0 Hydrofluoric acid 0 Special Handling Instructions and Addition Wear gloves, goggles, DOT Emergency response Do not breathe vapors 16. To generator, GENERATOR'S CERTIFICATION: I here and are classified, packed, marked, and national government regulations. If I am a large quantity generator, I certif to be economically practicable and that present and future threat to human healt generation and select the best waste may Printed/Typed Name Robert Garage 17. Transporter 1 Acknowledgement of Rece Printed/Typed Name 18. Transporter 2 Acknowledgement of Rece	Fluo wate 0-1% mal Information faceshield, guide # 60 do not was eby declare that the collabeled, and are in all ty that I have a program I have selected the prath and the environment, anagement method that property of Materials	and proper che. In case of ach into sewer or ontents of this consignment respects in proper condition in in place to reduce the voliacticable method of treatme; OR, if I am a small quantity t is available to me and that Signature Signature S	are fully and ach for transport I	courately by highway of was disposal ave mad	describe des	d above I ding to ap ted to the available faith effor	s appec at to de by proper able e degree e to me w	er shipping name international and have determined which minimizes the nimize my waste Month Day Year 1 0 1 0 9 4 4 4 4 4 4 4 4 4	

DHS 8022 A (1)

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RF

TRANSPORTER

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.

Do Not Write Below This Line

CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS AIRCRAFT COMPANY


FOR

MANIFEST NUMBER _ 89479262

DATE RECEIVED OCTOBER 10, 1990

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SYSTEMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Los Angeles County.

When the above described material is accepted by CHEM-TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will issue this certificate that all material has been handled in accordance with applicable permits, and the certificate holder's liability has been terminated.



CHEM-TECH SYSTEMS, INC. a commitment to a clean environment

OCTOBER 10, 1990

DATE

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672



P.O. Box 77 Wilmington, California 90748-0077 Tel: (213) 324-2445 Fax: (213) 538-9329

Tet (2(3) 324-2445 Fax (2(3) 538-9329							
J LOADING RELI	1966 Ja. 2004 prose No. 50 January (Sec.) Read The Confederation						
Dispatch No. 22133 Shipper/Terminal (Dispatch Code VTLAHUL Consignee	02015 BOUGLAS A CGN23 CHEM-TECH	IRCRAFT CO	MPANY INC.				
Load Date 10/10/90 Time 0800 Driver Unid Date 10/10/90 Time DIRCT Driver Truck # 1221 Trir1 S122 Trir2		ONEAL. ROG	and the time that the case and the time are also the case are the case				
CODE DESCRIPTION GA	TOUR MEIGHT	A free from	QUANTITY				
UNLOAD AS:	the symfact of the control of the first of the control of the cont		erdinen (eller) erden erdinen steller (eller) erden erden geden general steller erden steller beder Geden erden bestellt besteller erden, eller erden steller beder erden erden erden erden steller (eller stelle				
130 STAINLESS STEEL 130 BBL 1760 CORROSIVE LIQUID; NOS		•					
EQUIPMENT REQUIREMENTS AND INSTRUCTIONS:	atti sanoi anti anga sigar, para ligipi basi kati gala kana linen kana linen atau kana atau rana						
REPORT TO : DOUGLAS AIRCRAFT CO. GATE #5, 19503 S. NORMANDIE TORRANCE, CA. CONTACT : MR. TRACY TAKAHASHI, I.T.CO INSTRUCTION : WORK AS DIRECTED PULLING LO ACID FOR DISPOSAL AT CHEM-1 VERNON. REQUIRES : FULL COMPLEMENT HOSES, KAME ORDERED BY : TRACY TAKAHASHI, I.T.CORP.	ORP. DAD OF MIXED TECH SYSTEMS, S, SAFETY GEAR.			*			
OMPARTMENT NO. CODE DESCRIPTION	ada, palama galama dangan bahasa nagkan lagkan palama dangan sacasa sadipun palama bahasa palama sakan sa	ensi renin pari seria belan dana rings mine cira sisie s	on marion was see not not any out out on the second				
	ne dellar saper trans men- anno sinon trino bener pere isino anno trans color saper.	erika likika minin papa manin manja benja pipah pinak angan k	general status sentent producti permeta permeta selatura selatura selatura selatura selatura selatura selatura Permeta status selatura selatu				
FOR TOR. AMUR AT DO	Zm Ghd p wglos Adei	ek of l	Suipment A	heps reserved			
	1114 1111 1	Mem TAN	18.7 2/1:7 0	brit <u>ol </u>			
full 11 KKL OF MIKNED)	<u>OP DISPOSI</u> N	<u>. 17 1,</u>	Admi Teleff.				
Menities 7# 89179262	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			<u> </u>			

ATE	DEPART TERM.	ARRIVE JOB	DEPART JOB	TDSF IN	LUNCH/DOWN A	STOP TIME A	TOTAL TIME
1091	P	P	P	оит	P	Р	
DRIVERS S	IGNATURE <u></u>	tany 1/3:	·	CUSTOMER S	IGNATURE 🧘	oy Abhahod	- In the